SNO. PSL-GEMIZO SMART HANDLE SPEC SHEET

MODEL: GEMINI SKU: PSL-GEM20



UNLOCK THE WORLD AROUND YOU

PRODUCT SPECIFICATIONS

Mechanical Features	
Description	Electronic interconnected deadbolt and latchset
Handing	Field handed
Materials	Aluminum Alloy
Colors	Silver, Black
Door Thickness	From 1-3/8" to 2-1/2" (35mm to 63mm)
Locking Options	ANSI/BHMA Grade 2 with 5/8" Latch and Deadbolt
Batteries	(4) AA for up to 2 years.
Key Override	Physical keyhole
Online Configuration	Fully programmable from the Geokey Portal
Lock Operation	
Electronic Key Levels	Multiple roles through Geokey Portal
Programming & Audit Trail Downloading	Programming and unlimited records available on Geokey Portal
Keys accepted	Unlimited mobile access Geokeys and (2) physical override keys
Unlock Method	Bluetooth and PIN codes (permanent, one time, and custom)
Remote Unlock Capability	Compatible with our G2 and G3 hubs
Certifications and Testing	
Certification	BHMA A156.25, BHMA A156.36
Fire Rating	Meets UL 10B/C and ULC S-104 up to and including 3 hours
Environmental Operating Conditions	-22°F to +140°F (-30°C to +60°C), 40% to 85% relative humidity
IP Rating	IP55
Warranty	
Standard Warranty	One year



1 (888) 348-9905 support@geokeyaccess.com www.geokeyaccess.com



THE WORLD'S FIRST MULTI-DIMENSIONAL MOBILE ACCESS SOLUTION