EUROPEAN MORTISE SPEC SHEET

MODEL: TOWER MAX SKU: PSL-TM20

UNLOCK THE WORLD AROUND YOU




PRODUCT SPECIFICATIONS

Mechanical Features	
Description	Electronic EU mortise handle with built-in bluetooth unlock
Handing	Must be specified
Materials	30455
Colors	Silver, Black
Door Thickness	From 1-3/8" to 2-1/2" (35mm to 63mm), must be specified
Locking Options	CE certified European 85mm CTC lock
Batteries	(4) AA for up to 2 years.
Key Override	Physical keyhole with master key
Online Configuration	Fully programmable from the Geokey Portal
Panel Dimensions (mm)	310 x 40 x 20
Lock Operation	
Electronic Key Levels	Multiple roles through Geokey Portal
Programming & Audit Trail Downloading	Programming and unlimited records available on Geokey Portal
Passage/Lockout Mode	Can be set remotely via the Geokey Portal
Keys accepted	Unlimited mobile access Geokeys and (2) physical override keys
Certifications and Testing	
Certification	BHMA A156.25, BHMA A156.36
Fire Rating	Meets UL 10B/C and ULC S-104 up to and including 1.5 hours
Environmental Operating Conditions	-4°F to +158°F (-20°C to +70°C), 10% to 95% relative humidity
IP Rating	IP55
Warranty	
Standard Warranty	One year



1 (888) 926-9005 sales@geokeyaccess.com www.geokeyaccess.com



THE WORLD'S FIRST MULTI-DIMENSIONAL MOBILE ACCESS SOLUTION